Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



fulture

1950

62,55

Wholesale Trade List

OF

Hardy Native Lilies, Orchids, Ferns,
Aquatic and Bog Plants, Wild Flowers
Deciduous Trees, Shrubs
and Evergreens



COLLECTED BY
ISAAC LANGLEY WILLIAMS

EXETER WILD FLOWER GARDENS

P. O. BOX 352
EXETER, NEW HAMPSHIRE, U. S. A.
TELEPHONE EXETER 240



1950

Wholesale Trade List

OF

Hardy Native Lilies, Orchids, Ferns,
Aquatic and Bog Plants, Wild Flowers
Deciduous Trees, Shrubs
and Evergreens



COLLECTED BY ISAAC LANGLEY WILLIAMS

EXETER WILD FLOWER GARDENS

P. O. BOX 352

EXETER, NEW HAMPSHIRE, U. S. A.

TELEPHONE EXETER 2401

TERMS AND CONDITIONS OF SALE

Our SPRING SEASON usually starts about April 1 and continues until about June 1. The FALL SEASON begins about September 1 and we continue digging until about December 1.

Cash or reference should accompany orders from unknown customers. Cash with order earns 2 per cent discount. Net 30 days from date of shipment. Interest will be charged at 6 per cent on past-due accounts.

Boxing and packing will be charged for at cost.

Prices are subject to change without notice.

We make no charge for packing car lot orders in bulk.

We sell 50 of the same size and variety at the 100 rate, 500 at the 1000 rate.

Claims for any cause must be made within five days of receipt of goods. In no case shall we be held for damage exceeding the original purchase cost of the goods.

Shipments travel at the cost and risk of the purchaser.

A certificate of inspection is attached to each shipment.

The nomenclature used in this list is that of "Standardized Plant Names."

Varieties marked * are suitable for rock gardens.

ISAAC LANGLEY WILLIAMS.

P. O. Box 352.

EXETER, NEW HAMPSHIRE, U. S. A

HARDY NATIVE FERNS

The Ferns are one of our most useful groups of plants. They grow best in a shady location, but some will thrive in full sun. The following Ferns are strong, clumpy plants and include the best varieties for general use. Varieties marked † will succeed in the open sun.

| | 12 | 100 | 1000 |
|---|--------|--------|---------|
| *ADIANTUM pedatum, American Maidenhair | \$1.50 | \$8.00 | \$70.00 |
| *ASPLENIUM platyneuron, Ebony Spleenwort | 2.00 | 12.00 | |
| *trichomanes, Maidenhair Spleenwort | 2.50 | 16.00 | |
| †ATHYRIUM filixfemina, Lady Fern | 1.50 | 8.00 | 70.00 |
| pycnocarpon, Narrow Leaf Spleenwort | 2.00 | 12.00 | |
| thelypteroides, Silvery Spleenwort | 1.50 | 10.00 | 80.00 |
| BOTRYCHIUM virginianum, Rattlesnake Fern | 2.00 | 15.00 | |
| *CAMPTOSORUS rhizophyllus, Waiking Fern | 2.50 | 15.00 | |
| *CYSTOPTERIS bulbifera, Berry Bladder Fern | 1.50 | 8.00 | 70.00 |
| *fragilis, Brittle Bladder Fern | 1.50 | 10.00 | |
| †*DENNSTAEDTIA punctilobula, Hay-scented Fern | 1.50 | 8.00 | 70.00 |
| square foot sods | 3.50 | 25.00 | 200.00 |
| DRYOPTERIS clintoniana, Clinton Wood Fern | 2.00 | 12.00 | |
| cristata, Crested Wood Fern | 2.00 | 10.00 | 90.00 |
| dilatata, Mountain Wood Fern | 4.50 | 30.00 | |
| *disjuncta, Oak Fern | 2.00 | 15.00 | |
| goldiana, Goldie Wood Fern | 3.00 | 20.00 | |
| *hexagonoptera, Broad Beechfern | 2.50 | 15.00 | |
| *marginalis, Leather Wood Fern | 1.50 | 8.00 | 70.00 |
| *noveboracensis, New York Fern | 1.50 | 8.00 | 70.00 |
| *phegopteris, Narrow Beech Fern | 1.50 | 8.00 | 70.00 |
| *spinulosa, Toothed Wood Fern | 1.50 | 8.00 | 70.00 |
| thelypteris, Marsh Fern | 1.50 | 10.00 | |
| †ONOCLEA sensibilis, Sensitive Fern | 1.50 | 8.00 | 70.00 |
| OSMUNDA cinnamomea, Cinnamon Fern | 1.50 | 10.00 | 80.00 |
| †claytoniana, Interrupted Fern | 1.50 | 10.00 | 80.00 |
| regalis, Royal Fern | 1.50 | 10.00 | 80.00 |
| *POLYPODIUM vulgare, Common Polypody, sods | 1.50 | 8.00 | 70.00 |
| *POLYSTICHUM acrostichoides, Christmas Fern | 1.50 | 8.00 | 70.00 |
| brauni, Braun Holly Fern | 4.00 | 30.00 | |
| †PTERETIS nodulosa, Ostrich Fern | 1.50 | 8.00 | 70.00 |
| †PTERIDIUM aquilinum, Bracken | 1.50 | 8.00 | 70.00 |
| †*WOODSIA ilvensis, Rusty Woodsia | 2.00 | 15.00 | |
| *obtusa, Common Woodsia | 2.00 | 15.00 | |
| WOODWARDIA virginica, Virginia Chain Fern | 1.50 | 10.00 | 80.00 |
| | | | |

HARDY NATIVE ORCHIDS

| HARDI MATIVE OROHIDS | | | |
|--|--------|---------|----------|
| | 12 | 100 | 1000 |
| CALOPOGON pulchellus, Grass-Pink Orchid | \$2.00 | \$15.00 | |
| CYPRIPEDIUM acaule, Pink Ladyslipper | | | |
| large flowering plants | 2.00 | 12.00 | \$100.00 |
| 2-4 crown clumps | 4.00 | 30.00 | |
| arietinum, Ramshead Ladyslipper | 5.00 | | |
| pubescens, Common Yellow Ladyslipper | | | |
| 1 crown plants | 2.00 | 12.00 | 100.00 |
| Clumps with 2-3 crowns | 4.00 | 30.00 | |
| 4-8 flowering crown clumps | 10.00 | 75.00 | |
| reginae (spectabile), Showy Ladyslipper | | | |
| 1 crown plants | 2.00 | 12.00 | 100.00 |
| Clumps with 2-3 crowns | 4.00 | 30.00 | |
| 4-8 flowering crown clumps | 10.00 | 75.00 | |
| GOODYERA pubescens, Downy Rattlesnake Plantain | 2.50 | 15.00 | |
| repens, Creeping Rattlesnake Plantain | 5.00 | | |
| HABENARIA ciliaris, Yellow Fringe-Orchid | 3.50 | 25.00 | |
| fimbriata, Large Purple Fringe-Orchid | 4.00 | 30.00 | |
| lacera, Green Fringe-Orchid | 3.50 | 25.00 | |
| psycodes, Small Purple Fringe-Orchid | 4.00 | 30.00 | |
| ORCHIS spectabilis, Showy Orchid | 4.00 | 30.00 | |
| POGONIA ophioglossoides, Rose Pogonia | 3.00 | 20.00 | |
| SPIRANTHES cernua, Nodding Ladies-Tresses | 3.50 | 25.00 | |
| | | | |

HARDY NATIVE AQUATIC AND BOG PLANTS

| | 12 | 100 | 1000 |
|--|--------|--------|---------|
| ACORUS calamus, Drug Sweetflag | \$1.50 | \$8.00 | \$70.00 |
| ASCLEPIAS incarnata, Swamp Milkweed | 1.50 | 8.00 | 70.00 |
| CALLA palustris, Wild Calla | 1.50 | 10.00 | 80.00 |
| CALTHA palustris, Common Marsh Marigold | 1.50 | 8.00 | 70.00 |
| CHELONE glabra, White Turtlehead | 1.50 | 10.00 | 80.00 |
| IRIS prismatica, Cubeseed Iris | 1.50 | 8.00 | 70.00 |
| versicolor, Blue Flag Iris | 1.50 | 8.00 | 70.00 |
| MIMULUS ringens, Allegany Monkeyflower | 2.50 | 15.00 | |
| NUPHAR advena, Spatterdock Cowlily | 2.00 | 12.00 | |
| NYPMHAEA odorata, American Waterlily | 2.00 | 12.00 | |
| PELTANDRA virginica, Virginia Arrow-Arum | 2.50 | 15.00 | |
| PONTEDERIA cordata, Pickerelweed | 1.50 | 10.00 | |
| SAGITTARIA latifolia, Common Arrowhead | 2.00 | 12.00 | |
| SARRACENIA purpurea, Common Pitcherplant | 1.50 | 10.00 | 80.00 |
| THALICTRUM polygamum, Tall Meadowrue | 1.50 | 10.00 | 80.00 |
| TYPHA angustifolia, Narrowleaf Cattail | 2.00 | 15.00 | |
| latifolia, Common Cattail | 1.50 | 10.00 | |
| | | | |

| HARDY NATIVE LILIES AND BULBOU | JS PI | LANT | S |
|--|--------|--------|---------|
| | 12 | 100 | 1000 |
| ARISAEMA triphyllum, Indian Jack-in-the-Pulpit | \$1.25 | \$7.00 | \$60.00 |
| *CONVALLARIA majalis, Lily-of-the-Valley, sods | 2.50 | 18.00 | 1 |
| *DICENTRA canadensis, Squirrel Corn | 1.25 | 8.00 | |
| *cucullaria Dutchman's Breeches | 1.25 | 8.00 | |
| eximia, Fringed Bleedingheart | 3.00 | 20.00 | |
| *ERYTHRONIUM americanum, Common Fawnlily | 1.25 | 7.00 | 60.00 |
| hendersoni, Henderson Fawnlily | 1.25 | 8.00 | |
| tuolumnense, Tuolumne Fawnlily | 1.25 | 8.00 | |
| LILIUM canadense, Canada Lily, extra large | 4.00 | 30.00 | |
| first size | 2.00 | 12.00 | 100.00 |
| second size | 1.25 | 7.00 | 60.00 |
| coccineum, Red Canada Lily | 2.50 | 15.00 | |
| flavum, Yellow Canada Lily | 2.00 | 12.00 | 100.00 |
| *philadelphicum, Wood Lily, extra large | 3.50 | 25.00 | |
| first size | 2.00 | 12.00 | |
| second size | 1.25 | 7.00 | 60.00 |
| superbum, Turkscap Lily, extra large | 5.00 | 35.00 | |
| strong selected first size | 2.50 | 15.00 | 120.00 |
| medium first size | 1.50 | 10.00 | 90.00 |
| tigrinum, Tiger Lily | 1.75 | 12.00 | |
| MERTENSIA virginica, Virginia Bluebells | | | |
| mammoth roots | 3.00 | 20.00 | |
| strong first size | 2.90 | 12.00 | 100.00 |
| medium flowering size | 1.50 | 8.00 | 70.00 |
| *SANGUINARIA canadensis, Bloodroot, first size | 1.25 | 7.00 | 60.00 |
| *TRILLIUM erectum, Purple Trillium, first size | 1.25 | 8.00 | 70.00 |
| *grandiflorum, Snow Trillium, first size | 1.25 | 7.00 | 60.00 |
| nivale, Dwarf White Trillium, first size | 2.50 | 15.00 | |
| recurvatum, Prairie Trillium, first size | 1.25 | 8.00 | 70.00 |
| sessile luteum, Yellow Toad Trillium, first size | 2.00 | 12.00 | |
| *stylosum, Rose Trillium, first size | 1.50 | 10.00 | 80.00 |
| *undulatum, Painted Trillium, first size | 1.25 | 8.00 | 70.00 |

HARDY NATIVE WILD FLOWERS AND GROUND COVER PLANTS

| | 12 | 100 | 1000 |
|---|--------|---------|---------|
| *ACTAEA alba, White Baneberry | \$2.00 | \$12.00 | |
| *rubra, Red Baneberry | 2.00 | 12.00 | |
| ANEMONE cylindrica, Candle Anemone | | | \$70.00 |
| *quinquefolia, American Wood Anemone | 1.50 | 8.00 | 70.00 |
| *ANEMONELLA thalictroides, Anemonella | | | |
| *AQUILEGIA canadensis, American Columbine | 1.50 | 10.00 | 80.00 |

| 6 ISAAC LANGLEY WILLIAMS, EXETER, NEW HA | VII DILL | | |
|--|-------------|---------|---------|
| | 12 | 100 | 1000 |
| ARALIA hispida, Bristly Aralia | \$1.50 | \$10.00 | \$80.00 |
| nudicaulis, Wild Sarsaparilla | 1.50 | 10.00 | 80.00 |
| *ASARUM canadense, Canada Wild Ginger | 1.50 | 10.00 | 80.00 |
| | 2.50 | 15.00 | |
| ASCLEPIAS tuberosa, Butterfly Milkweed | 1.50 | 10.00 | 80.00 |
| linariifolius, Savory Leaf Aster | 1.50 | 10.00 | 80.00 |
| novaeangliae, New England Aster | 1.50 | 10.00 | 80.00 |
| novibelgi, New York Aster | 1.50 | 10.00 | 80.00 |
| BAPTISIA tinctoria, Yellow Wild-Indigo | 2.50 | 15.00 | |
| CAULOPHYLLUM thalictroides, Blue Cohosh | 2.00 | 12.00 | |
| *CHIMAPHILA umbellata, Common Pipsissewa | 1.50 | 10.00 | |
| *CHIOGENES hispidula, Creeping Pearlberry | 2.50 | 15.00 | |
| CIMICIFUGA racemosa, Cohosh Bugbane | 2.50 | 15.00 | |
| *CLAYTONIA virginica, Virginia Spring Beauty | 1.50 | 10.00 | 80.00 |
| *CLINTONIA borealis, Yellow Beadlily | 2.00 | 12.00 | 100.00 |
| *COPTIS trifolia, Alaska Goldthread, sods | 2.00 | 10.00 | 80.00 |
| *CORNUS canadensis, Bunchberry Dogwood, 4-in. sods | 2.00 | 15.00 | |
| strong roots | 1.50 | 8.00 | 70.00 |
| CORYDALIS sempervirens, Pale Corydalis | 2.00 | | |
| *DALIBARDA repens, Starviolet Dalibarda, sods | 2.00 | | 100.00 |
| DENTARIA diphylla, Crinkleroot Toothwort | 2.00 | 12.00 | |
| *DODECATHEON meadia, Common Shootingstar | 2.00 | | 100.00 |
| EPIGEA repens, Trailing Arbutus, with ball | 3.00 | 20.00 | |
| Large sods | 4.00 | 30.00 | |
| EPILOBIUM angustifolium, Fireweed | 2.00 | 12.00 | 00.00 |
| EUPATORIUM perfoliatum, Boneset | 1.50 | | 80.00 |
| purpureum, Bluestem Joe-Pye-Weed | 1.50 | | 80.00 |
| rugosum, White Snakeroot | 2.00 | | 100.00 |
| GALAX aphylla, Galax | 3.50 | 25.00 | |
| *GAULTHERIA procumbens, | 1 50 | 10.00 | 80.00 |
| Checkerberry-Wintergreen, sods | 1.50 2.00 | | 80.00 |
| GENTIANA andrewsi, Andrews Gentian | 2.50 | | |
| linearis, Narrow Leaf Gentian* *GERANIUM maculatum, Spotted Geranium | 1.50 | | 70.00 |
| *robertianum, Herb Robert Geranium | 2.50 | | 10.00 |
| *GLECOMA hederacea, Ground Ivy | | | 70.00 |
| HEMEROCALLIS fulva, Tawny Day Lily | | | |
| *HEPATICA acutiloba, Sharplobe Hepatica | | | |
| 1-2 bud plants | 1.50 | 8.00 | 70.00 |
| 3-6 bud plants | | | 100.00 |
| *americana, Roundlobe Hepatica | | | |
| 1-2 bud plants | 1.50 | 8.00 | 70.00 |
| 3-6 bud plants | | | 100.00 |
| *HOUSTONIA caerulea, Common Bluets, sods | | 8.00 | 70.00 |
| HYPOXIS hirsuta, Common Goldstargrass | | 15.00 | |
| *IRIS cristata, Crested Iris | 2.50 | 18.00 | |
| verna, Vernal Iris | 2.50 | 18.00 | |
| | | | |

| ISAAC LANGLEY WILLIAMS, EXETER, NEW HA | MPSHI | RE | 4 |
|--|---------------------|---------|--------------|
| | 12 | 100 | 1000 |
| LESPEDEZA capitata, Roundhead Lespedeza | \$1.50 | \$10.00 | |
| LIATRIS pycnostachya, Kansas Gayfeather | 1.50 | 10.00 | |
| scariosa, Tall Gayfeather | 1.50 | 10.00 | |
| *LINARIA vulgaris, Butter-and-eggs, Toadflax | 1.50 | 10.00 | |
| *LINNAEA americana, American Twinflower | 2.50 | | \$120.00 |
| | 1.50 | 10.00 | 80.00 |
| LOBELIA cardinalis, Cardinal Flower, large | 1.25 | 7.00 | 60.00 |
| Medium flowering size | | 12.00 | 100.00 |
| siphilitica, Bigblue Lobelia | 2.00 | | 100.00 |
| LYCHNIS floscuculi, Ragged Robin | 1.25 | 8.00 | |
| LYCOPODIUM complanatum flabelliforme, | 4 # 0 | 0.00 | 50.00 |
| Ground Cedar | 1.50 | 8.00 | 70.00 |
| obscurum, Groundpine | 1.50 | | 90.00 |
| *LYSIMACHIA nummularia, Moneywort, sods | 1.50 | 10.00 | 80.00 |
| LYTHRUM salicaria, Purple Lythrum | 1.50 | 10.00 | |
| *MAIANTHEMUM canadense, Canada Beadruby, sods | 1.25 | 8.00 | 70.00 |
| *MEDEOLA virginiana, Cucumber-Root Medeola | 2.00 | 12.00 | |
| MENTHA spicata, Spearmint | 1.50 | 10.00 | 80.00 |
| *MITCHELLA repens, Partridgeberry, sods | 1.50 | 10.00 | 80.00 |
| *MITELLA diphylla, Common Miterwort | 2.00 | 12.00 | |
| MONARDA fistulosa, Wild Bergamot Beebalm | 1.50 | | |
| *OXALIS acetosella, Woodsorrel Oxalis | 2.50 | | |
| *PEDICULARIS canadensis, Early Pedicularis | 1.50 | 10.00 | |
| *PHLOX bifida, Tenpoint Phlox, clumps | 2.00 | 12.00 | |
| *divaricata, Sweetwilliam Phlox, clumps | 2.00 | | 100.00 |
| *glaberrima, Smooth Phlox, clumps | 2.00 | | 00.00 |
| PODOPHYLLUM peltatum, Common Mayapple | 1.50 | | 80.00 |
| POLYGALA paucifolia, Fringed Polygala, sods | 2.00 1.50 | | 70.00 |
| *POLYGONATUM bifforum, Small Solomonseal | 2.00 | | 10.00 |
| commutatum, Great Solomonseal | 2.00 | | 100.00 |
| *POTENTILLA tridentata, Wineleaf Cinquefoil *PYROLA americana, American Pyrola | 1.50 | | |
| *chlorantha, Green Pyrola | 1.50 | 10.00 | |
| *elliptica, Waxflower Pyrola | 1.50 | | |
| *RANUNCULUS bulbosa, Bulb Buttercup | 1.50 | | |
| RUDBECKIA hirta, Black-eyed Susan | 1.50 | | |
| SANGUISORBA canadensis, American Burnet | $\frac{2.00}{1.50}$ | | |
| SAPONARIA officinalis, Bouncing-Bet | 1 50 | | |
| SAXIFRAGA pennsylvanica, Pennsylvania Saxifrage | 1 50 | | |
| *virginiensis, Virginia Saxifrage | 4.00 | | |
| SHORTIA galacifolia, Oconee-bells | | | |
| Common Blue-eyed Grass | 1.50 | 10.00 | |
| SMILACINA racemosa, Feather Solomonplume | | | |
| SOLIDAGO sempervirens, Seaside Goldenrod | 2.00 | 12.00 | |
| | | | |

| | 12 | 100 | 1000 |
|--|--------|---------|---------|
| THALICTRUM dioicum, Early Meadowrue | \$2.00 | \$12.00 | |
| polygamum, Tall Meadowrue | 1.50 | 10.00 | \$80.00 |
| *TIARELLA cordifolia, Allegany Foam Flower | 1.50 | 10.00 | 80.00 |
| TRADESCANTIA virginiana, Virginia Spiderwort | 1.50 | 10.00 | 80.00 |
| TRIENTALIS borealis, American Starflower | 1.50 | 10.00 | 80.00 |
| *UVULARIA grandiflora, Big Merrybells | 2.50 | 16.00 | |
| perfoliata, Wood Merrybells | 2.50 | 16.00 | |
| sessilifolia, Little Merrybells | 1.50 | 10.00 | |
| VERBENA hastata, Blue Verbena | 2.00 | 12.00 | |
| *VERONICA officinalis, Drug Speedwell | 1.50 | 8.00 | 70.00 |
| *VINCA minor, Common Periwinkle, clumps | 1.50 | 8.00 | 70.00 |
| VIOLA blanda, Sweet White Violet | 1.50 | 8.00 | 70.00 |
| *canadensis, Canada Violet | 2.00 | 12.00 | 100.00 |
| cucullata, Bogbice Violet | 1.50 | 8.00 | 70.00 |
| *eriocarpa, Woolpod Violet | 1.50 | 8.00 | 70.00 |
| *fimbriatula, Fringed Violet | 1.50 | 8.00 | 70.00 |
| *lanceolata, Lanceleaf Violet | 1.50 | 8.00 | 70.00 |
| *pedata lineariloba, Lilac Birdsfoot Violet, | | | |
| strong plants | 1.50 | 10.00 | 80.00 |
| *pedata (bicolor), Two color Birdsfoot Violet, | | | |
| strong plants | 1.50 | 10.00 | 80.00 |
| *pubescens, Downy Violet | 1.50 | 8.00 | 70.00 |
| *rotundifolia, Roundleaf Violet | 1.50 | 8.00 | 70.00 |
| | | | |

HARDY NATIVE VINES

COLLECTED

| | 12 | 100 | 1000 |
|--|--------|--------|---------|
| APIOS (tuberosa) americana, American Potato-Bean | \$1.25 | \$8.00 | \$70.00 |
| *ARCTOSTAPHYLOS uva-ursi, Bearberry, | | | |
| rooted layers | 1.25 | 8.00 | 70.00 |
| CELASTRUS scandens, American Bittersweet, 6-18 in. | 1.00 | 3.00 | 20.00 |
| 1½-3 ft | 1.25 | 5.00 | 40.00 |
| 3-4 ft | 2.00 | 12.00 | 100.00 |
| CLEMATIS virginiana, Virgin's Bower, large | 1.50 | 8.00 | 70.00 |
| LONICERA japonica halliana, | | | |
| Hall's Japanese Honeysuckle | 1.50 | 8.00 | 70.00 |
| sempervirens, Trumpet Honeysuckle | 1.50 | 8.00 | 70.00 |

HARDY NATIVE EVERGREENS

COLLECTED

| A11 E | | | |
|---|--------|----------|---------|
| All Evergreens will be carefully collected, and w | ell pa | icked to | reach |
| you in good condition. | | | |
| ABIES balsamea, Balsam Fir | 10 | 100 | 1000 |
| 4-8 in | | \$4.00 | \$25.00 |
| 8-12 in | | 8.00 | 60.00 |
| 12-18 in | | 15.00 | |
| 18-24 in | 3.50 | 30.00 | |
| CHAMAECYPARIS thyoides, White Cedar Falsecypress | | | |
| 6-12 in | | 5.00 | 40.00 |
| 1-2 ft | | 10.00 | 80.00 |
| 2-3 ft | 4.00 | 30.00 | 00.00 |
| 3-4 ft | | 50.00 | |
| JUNIPERUS communis depressa, Oldfield Common Jun | iner | 00.00 | |
| 4-8 in | | 6.00 | 50.00 |
| 8-12 in | | 10.00 | 90.00 |
| 12-18 in. B & B | | | 30.00 |
| 18-24 in. B & B | | | |
| 2-3 ft. B & B | | | |
| virginiana, Eastern Red Cedar | 20.00 | 190.00 | |
| 4-8 in | | F 00 | |
| | | 5.00 | |
| 8-12 in | 9.00 | 10.00 | |
| 12-18 in | 3.00 | 25.00 | |
| PICEA rubens, Red Spruce | | 2.00 | |
| 4-8 in. | | 6.00 | |
| 8-12 in | | 8.00 | |
| 12-18 in | 2.00 | 15.00 | |
| 18-24 in | 3.00 | 25.00 | |
| PINUS rigida, Pitch Pine | | | |
| 1-2 ft | | | |
| 2-3 ft. B & B | 15.00 | | |
| strobus | | | |
| 4-8 in | | 4.00 | 25.00 |
| 8-12 in | | 5.00 | 40.00 |
| TAXUS canadensis, Canada Yew | | | |
| 6-18 in. rooted layers | | 6.00 | 50.00 |
| THUJA occidentalis, Eastern Arborvitae | | | |
| 3-6 in | | 3.00 | 20.00 |
| 6-12 in | | 5.00 | 40.00 |
| 12-18 in | 2.50 | 15.00 | 120.00 |
| 18-24 in. | 4.00 | 30.00 | |
| TSUGA canadensis, Canada Hemlock | | | |
| 4-8 in | | 4.00 | 25.00 |
| 8-12 in. | | 5.00 | 40.00° |
| 12-18 in | 2.50 | 20.00 | |
| 18-24 in | 4.00 | 30.00 | |
| 10-21 III. | 2.00 | 00.00 | |

HARDY NATIVE TREES AND SHRUBS

COLLECTED

| ACER pennsylvanicum, Striped Maple | 10 | 100 | 1000 |
|---|---------|--------|---------|
| 6-12 in | | \$8.00 | \$70.00 |
| 1-2 ft | | 10.00 | 90.00 |
| 2-4 ft | | 20.00 | |
| rubrum, Red Maple | | = 00 | 40.00 |
| 1-2 ft | | 5.00 | 40.00 |
| 2-3 ft | | 7.00 | 60.00 |
| 3-4 ft | | 10.00 | 80.00 |
| 4-6 ft | | 25.00 | |
| 6-8 ft | \$10.00 | 80.00 | |
| 8-10 ft | 15.00 | 125.00 | |
| 10-12 ft., 1 inch cal | 20.00 | 150.00 | |
| saccharum, Sugar Maple | | ~ ^ ^ | 40.00 |
| 1-2 ft | | 5.00 | 40.00 |
| 2-3 ft | | 10.00 | 80.00 |
| 3-4 ft | | 25.00 | 200.00 |
| 4-6 ft | | 60.00 | 500.00 |
| 6-8 ft | 12.00 | 90.00 | |
| 8-10 ft | 20.00 | 150.00 | |
| 10-12 ft | 25.00 | 200.00 | |
| spicatum, Mountain Maple | | | |
| 1-3 ft, | | 15.00 | |
| 3-4 ft | | 30.00 | |
| ALNUS rugosa, Hazel Alder | | | |
| 2-3 ft. clumps | 3.00 | 25.00 | |
| 3-4 ft. clumps | 4.00 | 30.00 | |
| AMELANCHIER canadensis, Shadblow Serviceberry | | | |
| 1-3 ft | | 10.00 | |
| 2-3 ft. clumps | 5.00 | 40.00 | |
| 3-4 ft. clumps | 7.00 | 60.00 | |
| 4-5 ft. clumps | 8.00 | 70.00 | |
| stolonifera, Running Serviceberry | | | |
| 1-3 ft | | 25.00 | |
| ARONIA melanocarpa, Black Chokeberry | | | ×0.00 |
| 1-2 ft | | 6.00 | 50.00 |
| 2-3 ft. clumps | 4.00 | 35.00 | |
| 3-4 ft. clumps | 6.00 | 50.00 | |
| BETULA lenta, Sweet Birch | | | |
| 1-2 ft | | 6.00 | 50.00 |
| 2-3 ft | | 8.00 | 70.00 |
| 3-4 ft | 3.00 | | |
| 4-6 ft | | | |
| 6-8 ft | | | |
| 8-10 ft | 12.00 | 100.00 | |
| | | | |

| | | | - |
|--|-------|--------|---------|
| | 10 | 100 | 1000 |
| lutea, Yellow Birch | | | |
| 1-2 ft. | | \$6.00 | \$50.00 |
| 2-3 ft. | | 8.00 | 70.00 |
| 3-4 ft | | 20.00 | *0.00 |
| 4-6 ft. | | 35.00 | |
| 6-8 ft. | | 80.00 | |
| 8-10 ft | | | |
| | 10.00 | 120.00 | |
| nigra, River Birch | | 15.00 | |
| 1-2 ft | | 15.00 | |
| papyrifera, Paper Birch | | | |
| 6-12 in | | 4.00 | 30.00 |
| 1-2 ft | | 6.00 | 50.00 |
| 2-3 ft | | 8.00 | 70.00 |
| 3-4 ft | 3.50 | 25.00 | |
| 4-6 ft | 5.00 | 40.00 | |
| 6-8 ft | 15.00 | 125.00 | |
| 8-10 ft | 25.00 | 200.00 | |
| 10-12 ft | 30.00 | 250.00 | |
| 12-14 ft | | | |
| non-lifelia Char Binch | | | |
| populifolia, Gray Birch | | 4.00 | 30.00 |
| 1-2 ft. | | 5.00 | 40.00 |
| 2-3 ft | | | |
| 3-4 ft | F 00 | 15.00 | 125.00 |
| 4-6 ft | - 00 | | |
| 6-8 ft | 7.00 | 60.00 | |
| CARPINUS caroliniana, American Hornbeam | | 0.00 | 00.00 |
| 1-2 ft | | 9.00 | 80.00 |
| 2-4 ft | 4.00 | 25.00 | |
| 4-6 ft | 6.00 | 50.00 | |
| CARYA (Hicoria) ovata, Shagbark Hickory | | | |
| 1-3 ft | 5.00 | 35.00 | |
| 3-5 ft | 8.00 | 60.00 | |
| | | | |
| CEPHALANTHUS occidentalis, Common Buttonbush | | 2.00 | @F0 00 |
| 6-18 in | 4 0 0 | 6.00 | \$50.00 |
| 2-3 ft. clumps | 4.00 | 30.00 | |
| CHAMAEDAPHNE calyculata, Leather Leaf | | | |
| 6-18 in | | 6.00 | 50.00 |
| clumps | 4.00 | 30.00 | |
| | | | |
| CLETHRA alnifolia, Summersweet Clethra | | 0.00 | E0.00 |
| 6-18 in | 0.70 | 6.00 | 50.00 |
| 12-18 in. clumps, heavy | 2.50 | 20.00 | |
| 18-24 in. clumps, heavy | 3.00 | 25.00 | |
| 2-3 ft. clumps, heavy | 4.00 | 35.00 | |
| 3-4 ft. clumps, heavy | 6.00 | 50.00 | |
| | | | |

| | 10 | 100 | 1000 |
|---|--------|-----------------|----------------|
| COMPTONIA asplenifolia, Sweetfern | | A.A. 0.0 | @F0.00 |
| 6-18 in | | \$6.00 | \$50.00 |
| 18-24 in. clumps | \$3.00 | 25.00 | |
| CORNUS alternifolia, Pagoda Dogwood | | | |
| 1-2 ft | | 10.00 | |
| 2-4 ft | 5.00 | 40.00 | |
| florida, Flowering Dogwood | | F 00 | 40.00 |
| 6-12 in | | 5.00 8.00 | 40.00 |
| 1-2 ft | | | 200.00 |
| 3-4 ft | | 50.00 | 200.00 |
| 4-6 ft | | 70.00 | |
| 6-8 ft | | 100.00 | |
| 8-10 ft | | | |
| racemosa, Gray Dogwood | | | |
| 1-2 ft | | 6.00 | 50.00 |
| 2-3 ft. clumps | | | |
| 3-4 ft. clumps | 4.50 | 35.00 | |
| CORYLUS americana, American Filbert | | | |
| 1-3 ft | | 6.00 | 50.00 |
| 2-3 ft. clumps | | 30.00 | |
| 3-4 ft. clumps | 5.00 | 40.00 | |
| cornuta, Beaked Filbert | | | ~~ ~~ |
| 1-3 ft | | 6.00 | 50.00 |
| 2-4 ft. clumps | 5.00 | 40.00 | |
| CRATAEGUS intricata, Thicket Hawthorne | | | |
| 1-3 ft | | 25.00 | |
| 3-5 ft | 6.00 | 50.00 | |
| DIERVILLA lonicera, Dwarf Bush-Honeysuckle | | 6.00 | 50.00 |
| DIRCA palustris, Atlantic Leatherwood | | | |
| 6-12 in | | 10.00 | |
| 1-2 ft | 2.00 | 15.00 | |
| 2-3 ft. branched | 4.00 | 30.00 | |
| 3-5 ft. branched | 6.00 | 50.00 | |
| FAGUS grandifolia, American Beech | | | |
| 6-12 in | | 5.00 | 40.00 |
| 1-2 ft | | 7.00 | 60.00 |
| 2-4 ft | | 30.00 | |
| 4-6 ft | 7.00 | 60.00 | |
| FRAXINUS americana, White Ash 1-2 ft. | | 6.00 | 50.00 |
| | | | |
| GAYLUSSACIA baccata, Black Huckleberry sq. ft. sods | F 00 | 8.00 30.00 | 70.00 250.00 |
| sy. 16 sous | 5.00 | 30.00 | 200.00 |
| | | | |

| | 10 | 100 | 1000 |
|---|--------|---------|---------|
| HAMAMELIS virginiana, Common Witch-Hazel | | | |
| 6-18 in | | \$10.00 | \$80.00 |
| 2-3 ft. clumps | \$5.00 | 40.00 | |
| 3-4 ft. clumps | 6.00 | 50.00 | |
| 4-6 ft. clumps | 8.00 | 60.00 | |
| ILEX verticillata, Common Winterberry | | | |
| 1-2 ft | | 6.00 | 50.00 |
| 18-24 in. clumps | 4.00 | 30.00 | |
| 2-3 ft. clumps | 5.00 | | |
| 3-4 ft. clumps | 6.00 | 50.00 | |
| 4-6 ft. clumps | 10.00 | 90.00 | |
| KALMIA angustifolia, Lambkill Kalmia | | | |
| 6-18 in | | 7.00 | 60.00 |
| sq. ft. sods | 5.00 | 30.00 | 250.00 |
| latifolia. Mountain Laurel Kalmia | | | |
| 6-12 in | 2.00 | 15.00 | 120.00 |
| 18-24 in. B & B | | | |
| 2-2½ ft. B & B | | | |
| 2½-3 ft. B & B | | 250.00 | |
| 3-4 ft. B & B | 40.00 | | |
| polifolia, Bog Kalmia | 2.50 | 20.00 | |
| LINDERA benzoin, Spicebush | | | |
| 1-2 ft | | 8.00 | |
| 2-4 ft. clumps | | 40.00 | |
| LYONIA ligustrina, He-Huckleberry | | | |
| 2-4 ft. clumps | 7.00 | 60.00 | |
| | | | |
| MYRICA gale, Sweetgale, Bay Rum | | 7.00 | 60.00 |
| 1-3 ft | 5.00 | | 00.00 |
| pennsylvanica, Northern Bayberry | 0.00 | 40.00 | |
| 6-12 in. clumps | 4.00 | 35.00 | |
| | | | |
| NEMOPANTHUS mucronata, Mountain Holly | | 10.00 | |
| 1-3 ft | 5.00 | | |
| 2-3 ft. clumps | | | |
| 3-4 ft. clumps | 7.00 | 60.00 | |
| NYSSA sylvatica, Black Tupelo | | | |
| 1-2 ft | 4.00 | 30.00 | |
| OSTPVA virginiana American Hen Hernhaam | | | |
| OSTRYA virginiana, American Hop Hornbeam 6-18 in. | | 9.00 | 80.00 |
| 1½-3 ft | | | 100.00 |
| 3-5 ft | | | |
| 0-0 It | 2.00 | 0000 | |

| | 10 | 100 | 1000 |
|---|--------|---------|---------|
| POTENTILLA fruticosa, Bush Cinquefoil 1-2 ft | | \$15.00 | |
| PRUNUS pennsylvanica, Pin Cherry | | | |
| 1-2 ft | | 5.00 | \$40.00 |
| 2-3 ft | | 6.00 | 50.00 |
| 3-4 ft | | 8.00 | 70.00 |
| 4-6 ft | \$3.00 | 20.00 | 180.00 |
| 6-8 ft | | | |
| virginiana, Common Chokecherry | | | |
| 1-3 ft | | 6.00 | 50.00 |
| 3-5 ft | 4.00 | 25.00 | |
| 0 0 10 11 11 11 11 11 11 11 11 11 11 11 | | | |
| QUERCUS alba, White Oak | 0.00 | 00.00 | |
| 1-2 ft | 3.00 | 20.00 | |
| 2-4 ft | 5.00 | 40.00 | |
| bicolor, Swamp White Oak | C 00 | E0.00 | |
| 1-3 ft | 6.00 | 50.00 | |
| borealis, Northern Red Oak | | = 00 | 40.00 |
| 6-12 in | | 5.00 | 40.00 |
| 1-3 ft | = 00 | 20.00 | |
| 3-4 ft | 5.00 | 35.00 | |
| 4-6 ft | 7.00 | 60.00 | |
| 6-8 ft | 10.00 | 80.00 | |
| RHODODENDRON carolinianum, Carolina Rhododendro | n | | |
| 6-12 in | | 18.00 | 150.00 |
| canadense, Rhodora | | | |
| 1-3 ft | | 8.00 | 70.00 |
| 12-18 in. clumps B & B | 8.00 | 60.00 | |
| 18-24 in. clumps B. & B | 12.00 | 100.00 | |
| catawbiense, Catawba Rhododendron | | | |
| 6-12 in | 2.00 | 15.00 | 125.00 |
| maximum, Rosebay Rhododendron | | 1 2 00 | 105 00 |
| 6-12 in | 2.00 | 15.00 | 125.00 |
| RHUS copallina, Flameleaf Sumac | | | |
| 6-18 in | | 8.00 | |
| 1½-3 ft | | 15.00 | |
| glabra, Smooth Sumac | | | |
| 1-2 ft | | 6.00 | 50.00 |
| 2-3 ft | | 10.00 | 80.00 |
| 3-4 ft. stocky | | 20.00 | |
| RHUS typhina, Staghorn Sumac | | | |
| 6-12 in | | 4.00 | 30.00 |
| 1-2 ft | | 5.00 | 40.00 |
| 2-3 ft | | 10.00 | 80.00 |
| 3-4 ft. branched | | 20.00 | |
| | | | |

| SAMBUCUS canadensis, American Elder 2-3 ft. 8.00 \$60.00 pubens, Scarlet Elder 1-2 ft. 20.00 SORBUS americana, American Mountain Ash 6-18 in. \$4.00 25.00 SPIREA latifolia, Broadleaf Meadowsweet Spicea 6-18 in. 6.00 50.00 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.00 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.00 2-3 ft. 2.00 12.00 100.00 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.00 | RUBUS odoratus, Fragrant Thimbleberry | 10 | 100 | 1000 |
|---|--|--------|---------|---------|
| 2-3 ft. 8.00 \$60.6 pubens, Scarlet Elder 1-2 ft. 20.00 SORBUS americana, American Mountain Ash 6-18 in. \$4.00 25.00 SPIREA latifolia, Broadleaf Meadowsweet Sp'rea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq-ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 1-3 ft | | \$15.00 | |
| pubens, Scarlet Elder 1-2 ft. 20.00 SORBUS americana, American Mountain Ash \$4.00 25.00 SPIREA latifolia, Broadleaf Meadowsweet Sp'cea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 6.00 50.0 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq-ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.0 18-24 in. B & B 12.00 100.0 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7 | SAMBUCUS canadensis, American Elder | | | |
| 1-2 ft. 20.00 | 2-3 ft | | 8.00 | \$60.00 |
| SORBUS americana, American Mountain Ash 6-18 in. \$4.00 25.00 SPIREA latifolia, Broadleaf Meadowsweet Sprea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilae 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.0 18-24 in. B & B 12.00 100.0 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | pubens, Scarlet Elder | | | |
| 6-18 in. \$4.00 25.00 SPIREA latifolia, Broadleaf Meadowsweet Sp'rea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 1-2 ft | | 20.00 | |
| SPIREA latifolia, Broadleaf Meadowsweet Sp'rea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilae 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | SORBUS americana, American Mountain Ash | | | |
| 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 6-18 in | \$4.00 | 25.00 | |
| 2-3 ft. clumps 4.00 30.00 tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | SPIREA latifolia, Broadleaf Meadowsweet Spirea | | | |
| tomentosa, Hardhack Spirea 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 6-18 in | | 6.00 | 50.00 |
| 6-18 in. 6.00 50.0 2-3 ft. clumps 4.00 30.00 SYRINCA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 2-3 ft. clumps | 4.00 | 30.00 | |
| 2-3 ft. clumps 4.00 30.00 SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | tomentosa, Hardhack Spirea | | | |
| SYRINGA vulgaris, Common Lilac 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.0 18-24 in. B & B 12.00 100.0 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.6 | 6-18 in | | 6.00 | 50.00 |
| 1-2 ft. 6.00 50.0 2-3 ft. 2.00 12.00 100.0 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 2-3 ft. clumps | 4.00 | 30.00 | |
| 2-3 ft. 2.00 12.00 100.00 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), | SYRINGA vulgaris, Common Lilac | | | |
| 3-4 ft. 5.00 40.00 VACCINIUM angustifolium (pennsylvanicum), | 1-2 ft | | 6.00 | 50.00 |
| VACCINIUM angustifolium (pennsylvanicum), Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 2-3 ft | 2.00 | 12.00 | 100.00 |
| Lowbush Blueberry 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | 3-4 ft | 5.00 | 40.00 | |
| 6-12 in. 8.00 70.0 sq. ft. sods 4.00 30.00 250.0 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | VACCINIUM angustifolium (pennsylvanicum), | | | |
| sq. ft. sods 4.00 30.00 250.00 corymbosum, Highbush Blueberry 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | Lowbush Blueberry | | | |
| corymbosum, Highbush Blueberry 6-12 in. 12.00 100.0 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | | | | 70.00 |
| 6-12 in. 12.00 100.00 18-24 in. B & B 12.00 100.00 2-3 ft. heavy clumps, B & B 15.00 125.00 3-4 ft. heavy clumps, B & B 20.00 175.00 4-5 ft. heavy clumps, B & B 30.00 250.00 pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | sq. ft. sods | 4.00 | 30.00 | 250.00 |
| 18-24 in. B & B | | | 40.00 | 100.00 |
| 2-3 ft. heavy clumps, B & B | | 10.00 | | 100.00 |
| 3-4 ft. heavy clumps, B & B | | | | |
| 4-5 ft. heavy clumps, B & B | | | | |
| pallidum (vacillans), Blueridge Blueberry 20.00 VIBURNUM acerifolium, Mapleleaf Viburnum 7.00 60.0 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 7.00 60.0 1-3 ft. 7.00 60.0 | | | | |
| VIBURNUM acerifolium, Mapleleaf Viburnum 7.00 60.0 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 7.00 60.0 1-3 ft. 7.00 60.0 | | 00.00 | | |
| 6-18 in. 7.00 60.0 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | | | | |
| 2-3 ft. clumps 5.00 40.00 alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | The state of the s | | 7.00 | 60.00 |
| alnifolium, Hobblebush Viburnum 1-3 ft. 7.00 60.0 | | 5.00 | | 60.00 |
| 1-3 ft 7.00 60.0 | | 5.00 | 40.00 | |
| | | | 7,00 | 60.00 |
| 2-3 ft. clumps 5.00 40.00 | | 5.00 | | 00.00 |

| | 10 | 100 | 1000 |
|---|--------|--------|---------|
| VIBURNUM cassinoides, Witherod Viburnum | | | |
| 1-2 ft | | \$6.00 | \$50.00 |
| 12-18 in. clumps | \$2.50 | 20.00 | 180.00 |
| 18-24 in. clumps | 3.00 | 25.00 | |
| 2-3 ft. clumps | 5.00 | 40.00 | |
| 3-4 ft. clumps | 6.00 | 50.00 | |
| 4-5 ft. clumps | | 80.00 | |
| dentatum, Arrow-wood Viburnum | | | |
| 1-2 ft | | 6.00 | 50.00 |
| 2-3 ft. clumps | 3.00 | 25.00 | |
| 3-4 ft. clumps | 5.00 | 40.00 | |
| 4-5 ft. clumps | 7.00 | 60.00 | |
| lentago, Nannyberry Viburnum | | | |
| 1-2 ft | | 7.00 | 60.00 |
| 2-3 ft. clumps | 4.00 | 30.00 | |
| 3-4 ft. clumps | 5.00 | 40.00 | |
| 4-5 ft. clumps | 6.00 | 50.00 | |
| 5-7 ft. clumps | | 60.00 | |



ISAAC LANGLEY WILLIAMS Collector and Nurseryman EXETER, NEW HAMPSHIRE, U. S. A. TELEPHONE, EXETER 2401

MEMBER

New England Nurserymen's Association American Association of Nurserymen